



**MISSISSIPPI STATE**  
UNIVERSITY™



**Seedcorn Maggot**



**Southern Corn Rootworm**



**Wireworms**




**White Grubs**






**Dead at least 3 weeks before planting**


# Impact of Corn Seed Treatments on Yield



# Impact of Corn Seed Treatments on Yield



# Impact of Corn Seed Treatments on Yield











# Impact of Stink Bug Injury on Field Corn Yield




# Impact of Stink Bug Injury on Field Corn Yield






Beaver Pond


# Incidence of Stink Bug Feeding



# Incidence of Stink Bug Feeding




# Incidence of Stink Bug Feeding






# Evaluation of Commercial Stink Bug Pheromones for Capturing Brown Stink Bug




# Evaluation of Commercial Stink Bug Pheromones for Capturing Brown Stink Bug






# Impact of Defoliation on Yield






# Bt Corn Technologies and Yield



# Impact of Kernel Damage on Yield



# Corn Borers




# Corn Borers



Southwestern corn borer


Sugarcane borer

European corn borer





# Impact of Corn Borers on Yield



# Southwestern Corn Borer Eggs



# MS SWCB Recommendation

V1	V2	V <sub>nth</sub>	VT	R1	R2	R3	R4	R5	R6
1 Leaf	2 Leaf	Nth Leaf	Tassel	Silk	Blister	Milk	Dough	Dent	Black Layer
<p>Treat 7-10 days after moth traps average <u>50</u> per trap on a <u>7 day catch</u> from V1-V<sub>nth</sub> or when plants average <u>5 %</u> corn borer egg masses or larval infestations per plant.</p>				<p>Treat 7-10 days after moth traps average <u>100</u> per trap on a <u>7 day catch</u> from R1-R3 or when plants average <u>10 %</u> corn borer egg masses or larval infestations per plant.</p>			<p><b>Do Not Treat</b></p>		



# What Constitutes an Infestation?

---

**1 live weevil and 5 other injurious insects or**

**2 live weevils or**

**10 injurious insects**

---



**Rice Weevil**  
*Sitophilus oryzae* (L.)



**Maize Weevil**  
*Sitophilus zeamais* Motschulsky



**Lesser Grain Borer**  
*Rhyzopertha dominica* (F.)

# Other Insect Pests

---

Granary Weevil - *Sitophilus granarius* ( L.)

Flat Grain Beetle - *Cryptolestes pusillus* (Schönherr)

Rusty Grain Beetle - *Cryptolestes ferrugineus* (Stephens)

Sawtoothed Grain Beetle - *Oryzaephilus surinamensis* (L.)

Merchant Grain Beetle - *Oryzaephilus mercator* (Fauvel)

Red Flour Beetle - *Tribolium castaneum* (Herbst)

Confused Flour Beetle - *Tribolium confusum* Jacquelin du Val

Yellow Mealworm - *Tenebrio molitor* L.

Dark Mealworm - *Tenebrio obscurus* F.

Foreign Grain Beetle - *Ahasverus advena* (Waltl)

Hairy Fungus Beetle - *Typhaea stercorea* (L.)

Indian Meal Moth - *Plodia interpunctella* (Hübner)

Angoumois Grain Moth - *Sitotroga cerealella* (Olivier)

---

# Sanitation / Cleaning

---

Get rid of **ALL** old grain and grain residue from inside and around storage bins

Grain bin Maintenance – fix holes and cracks

Get rid of debris and weeds around storage bins

---

# Grain Distribution and Aeration

---

Evenly spread grain to improve aeration efficiency

Reduce grain moisture and temperature as quickly as possible

**<50°F (10°C)**

Monitor grain moisture, temperature, and for insect infestations

---

# **How intensive does my stored grain insect management need to be?**

---

**It depends on:**

**Past history of insect issues.**

**How long do you plan to hold grain / when do you plan to move it out of bin.**

---

# Empty Bin and Proximity

---

malathion

**β-cyfluthrin**: Tempo SC Ultra

**deltamethrin**: DeltaDust, Centynal, Suspend SC, D-Fense SC

(s)-methoprene: Diacon-D IGR, Diacon IGR


(s)-methoprene plus **deltamethrin**: Diacon IGR Plus

pyriproxyfen: Nyguard IGR

diatomaceous earth: Insecto, Dryacide 100, Protect-IT

---

# Performance of Empty Bin Insect Management Tools



# Grain Protectant Options - Corn

---

**pirimiphos-methyl: Actellic**

**spinosad: Sensat**

**deltamethrin: Centynal, Suspend SC, D-Fense SC**

**(s)-methoprene plus deltamethrin: Diacon IGR Plus**


**(s)-methoprene plus deltamethrin plus PBO: Gravista**

**(s)-methoprene: Diacon-D IGR, Diacon IGR**

**diatomaceous earth: Insecto, Dryacide 100, Protect-IT**

---

# Grain Protectant Performance



# Aluminum Phosphide











**Don Cook**  
**(662) 255-1899**

**Whitney Crow**  
**(901) 592-8787**

**Tyler Towles**  
**(662) 820-4217**